

# Stainless Steel Propeller Repair and Protection

ID: 9411

Industry: *Marine*  
Application: *SOS-Ships and Offshore Structures*

Customer Location: *Seattle*  
Application Date: *May 2024*

Substrate: *Stainless-steel*


Products: *Belzona 1311 (Ceramic R-Metal), Belzona 1341 (Supermetalglide), Belzona 2141 (ACR-Fluid Elastomer), Belzona 2941 (Elastomer SP-Conditioner)*

## Problem

*Areas of cavitation damage*



Tips of blades grit blasted



1st coat applied was Belzona 1341



2nd coat applied was Belzona 2141



Vessel ready to return to service

## Application Situation

Vessel owner was in a rush to get the vessel back in service. Removing the propellers for outside repairs would not fit the timeframe allowed. Based on previous case studies, the owner and shipyard agreed on the application.

## Application Method

Tips of blades were grit blasted to a minimum of 3mils. Cavitation pockets were filled with Belzona 1311. For protection, Belzona 1341 was applied in a 10mil coat. Belzona 2941 surface conditioner was then applied followed by a 30mil coat of Belzona 2141.

## Belzona Facts

Replacing the propellers was not an option based on availability. Repair by welding required removing the parts and sending them to an outside shop.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015  
FS 695214  
ISO 14001:2015  
EMS 695213

Belzona products are  
manufactured under an ISO  
9000 Registered Quality  
Management System.

[www.belzona.com](http://www.belzona.com)

**BELZONA**  
Repair • Protect • Improve