

BELZONA SAVES SIGNIFICANT DOWNTIME FOR CEMENT PLANT

CUSTOMER

Cement plant - United Arab Emirates

APPLICATION DATE

May 2005

APPLICATION SITUATION

Crusher shaft

PROBLEM

Bearing area of the 155mm shaft was down due to bearing failure, causing the entire operation to shut down.

PRODUCTS

Belzona® 1121 (Super XL-Metal)

SUBSTRATE

Steel

APPLICATION METHOD

Application was carried out in accordance with Belzona Know-How System Leaflet MPT-1 and MPT-2.

BELZONA FACTS

An alternative method would be to weld and grind the shaft, but this is not possible in situ. Removal of the shaft from the equipment would require over 100 hours of downtime as no spare part was available. With Belzona, this customer was back up and running in hours, not days, saving significant amounts of money from lost production and downtime.

PICTURES

1. Surface preparation in progress
2. Prepared surface, ready for Belzona to be applied
3. Completed application
4. General view of crusher shaft in operation after the application



1.



2.



3.



4.

For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

UK • USA • Canada • China
www.belzona.com

