

BELZONA GRIP SYSTEM FOR ELECTRIC DRIVE ROLLER

CUSTOMER

Farm, Scotland, UK

APPLICATION DATE

February 2015

APPLICATION SITUATION

Electric drive roller on an agricultural vehicle.

PROBLEM

The rubber cladding on the exterior of the drive roller had failed and delaminated.

PRODUCTS

Belzona 1321 (Ceramic S-Metal)

SUBSTRATE

Mild Steel

APPLICATION METHOD

The application was carried out in accordance with Belzona Know-How System Leaflet SHM-12. Belzona 1321 was applied using a stiff bristle brush and the aggregate was then sprinkled onto the wet coating to blind the surface. The aggregate was then tamped in and the application was left to cure.

BELZONA FACTS

The application was undertaken over the weekend to allow the lorry to be back up and running and on the road on Monday morning. The ease of application and curing time of Belzona 1321 allowed the application to be completed within the required time frame.

PICTURES

1. Drive roller on lorry
2. Drive roller prepared
3. Application of Belzona 1321
4. Completed application of grip system



1.



2.



3.



4.

For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



ISO 9001:2008
Q 09335
ISO 14001:2004
EMS 509612

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

UK • USA • Canada • China
www.belzona.com


BELZONA
Repair • Protect • Improve