

BELZONA LINING OF AROMATIC RECOVERY SEPARATOR

CUSTOMER

Oil and Gas Industry, North Sea, UK

APPLICATION DATE

January 2015

APPLICATION SITUATION

An aromatic recovery separator on an offshore UK production platform

PROBLEM

The internal surfaces had suffered from general corrosion and pitting, requiring protection to ensure continued service.

PRODUCTS

Belzona 1331

SUBSTRATE

Steel

APPLICATION METHOD


Belzona 1331 was applied in accordance with Belzona Know-How System Leaflet TCC-3. Following thorough surface preparation, Belzona 1331 was brush applied in two coats to ensure complete surface coverage. After sufficient cure, the lining was inspected before returning to service.

BELZONA FACTS

The high build capability of Belzona 1331 allowed it to be applied quickly and easily using brushes. Belzona also provides long term resistance against erosion and corrosion, satisfying the requirements of this unit.

PICTURES

1. Condition of the substrate following surface preparation
2. Completion of the surface preparation
3. Belzona 1331 applied to internal vessel surfaces
4. Completed lining terminating at the manway entrance



For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



ISO 9001:2008
Q 09335
ISO 14001:2004
EMS 509612

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

UK • USA • Canada • China
www.belzona.com


BELZONA[®]
Repair • Protect • Improve