BELZONA COMBATS A MAJOR VACUUM PUMP WEAR PROBLEM

CUSTOMER

Paper mill, Australia

APPLICATION DATE

2002

APPLICATION SITUATION

10 liquid ring vacuum pumps in service for 12 months experienced wear problems and have suffered significant losses in performance.

PROBLEM

A pump was removed from service and inspected. On dismantling the pump, it was found that excessive "carry over" from the process had caused major erosion and corrosion damage to the pump components and the critical tolerances had been lost.

PRODUCTS

Belzona® 1111 (Super Metal) Belzona® 1311 (ceramic R Metal) Belzona® 1321 (Ceramic S Metal)

SUBSTRATE

Stainless steel

APPLICATION METHOD

Application was carried out in accordance with Belzona Know-How System Leaflets FBC-2, 5 & 10.

BELZONA FACTS

The first pump was repaired and protected with Belzona in late 2002 and placed back into service. In December 2003, an internal inspection of the pump proved the Belzona material was completely intact and was providing complete protection of the pump. It should be noted that no change in the process had occurred and an unprotected pump was almost destroyed in less than 12 months. The "Belzona treated" pumps remained in service for approximately 6 years before requiring another overhaul and no pumps have required replacement. In this case, Belzona is providing a pump service life 6 times longer than a new pump.

PICTURES

- 1. Worn port plate
- 2. Worn head
- 3. Port plate completed
- 4. Rotor completed









For more examples of Belzona Know-How In Action, please visit http://khia.belzona.com



UK • USA • Canada • China www.belzona.com

