BELZONA REPAIRS DAMAGED CONCRETE AT CIDER PLANT

CUSTOMER

Cider producer, Herefordshire, UK

APPLICATION DATE

August 2011

APPLICATION SITUATION

Pedestrian crossing at cider plant

PROBLEM

Damaged concrete on walkway was identified as a trip hazard.

PRODUCTS

Belzona® 4131 (Magma Screed) Belzona® 2211 (MP Hi-Build Elastomer)

SUBSTRATE

Concrete

APPLICATION METHOD

Application was carried out in accordance with Belzona Know-How System Leaflet FPA-5 & 6. Damaged joint nosings were reformed with Belzona® 4131 before sealing joint with Belzona® 2211.

BELZONA FACTS

Other cheaper products had been used to try and fix problem but with no success. Belzona was chosen due to its proven reliability and longevity at other applications around the site. Belzona 4131 provides an impact resistant joint nosing whilst Belzona® 2211 provides strongly bonded highly elastic joint sealant.

PICTURES

- 1. Previous attempted repair
- 2. Nosings rebuilt with Belzona® 4131
- 3. Application of Belzona Elastomer Conditioner
- 4. Completed application with joint sealed using Belzona® 2211









For more examples of Belzona Know-How In Action, please visit http://khia.belzona.com



BELZONA®
Repair • Protect • Improve