CHEMICAL PROTECTION OF A SEDIMENT TANK

CUSTOMER

Poland

APPLICATION DATE

2019

APPLICATION SITUATION

Chemical protection of the sediment tank and reinforcement in the sewage treatment plant with Belzona composite materials.

PROBLEM

The accumulation of sediment on the bottom and walls of the tank. The penetration of aggressive dirt into the depths of concrete, chemical corrosion of concrete and damage to concrete walls of the tank and cracking at the bottom.

PRODUCTS

Belzona 4111 (Magma Quartz) Belzona 5821 Belzona 9211 (Supergrip Aggregate)

SUBSTRATE

Concrete

APPLICATION METHOD

The application was completed in accordance with Belzona Know-How System Leaflet TCC-15. High pressure washing, blast-cleaning and vacuum cleaning of the interior of the entire tank. Surface activation and re-profiling of the side wall defects and cracking of the sediment bottom with the Belzona 4111. Applying two layers of the Belzona 5821 coating by airless spraying.

BELZONA FACTS

Resistance to the impact of many types of chemical substances. Long-term protection of equipment used in immersion, high resistance to erosion and corrosion. Belzona eliminates the need for exchanges and reduces downtime.

PICTURES

- 1. Chemical Protection
- 2. Spraying Picture
- 3. Applying Picture

manufactured under an ISO 9000 Registered Quality Management System.

4. Application Complete









For more examples of Belzona Know-How In Action, please visit http://khia.belzona.com