

BELZONA SEALS SKYLIGHT TO PREVENT WATER PENETRATION

CUSTOMER

Cambridge, ON, Canada

APPLICATION DATE

August 2010

APPLICATION SITUATION

A skylight on the roof of a building.

PROBLEM

Water penetration between roofing sheets and around the skylight.

PRODUCTS

Belzona 3111 (Flexible Membrane)
Belzona 3921 (GSC Surface Conditioner)
Belzona 9311 (Reinforcing Sheet)

SUBSTRATE

Corrugated steel

APPLICATION METHOD



The application was carried out in accordance with Belzona Know-How System Leaflet RPA-01 for repairing and sealing joints and seams. A wire brush was used to remove any loose adherent and flaking rust and Belzona 3921 was applied to the prepared surface. Belzona 9311 was laid over the conditioned area and Belzona 3111 was applied with a soft bristle brush as a two coat system in accordance with Belzona Instructions For Use.

BELZONA FACTS

Revisited in June 2014 with no leaks to date. Belzona 3111 is a single component, solvent free, microporous coating for the long-term repair and protection of all types of roofs. This versatile liquid applied material provides outstanding weatherproofing and waterproofing properties with excellent protection against infrared and ultra violet radiation.

PICTURES

1. Prior to application
2. Preparation in progress
3. Application in progress
4. Completed application



For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

UK • USA • Canada • Thailand
www.belzona.com

