

## BELZONA IDEAL SOLUTION FOR DAMAGED CONVEYOR BELT

### CUSTOMER

Paper Mill, São Paulo, Brazil

### APPLICATION DATE

September 2011

### APPLICATION SITUATION

Conveyor belt is used to process recycled paper. A fork lift is used to load paper onto the belt.

### PROBLEM

The fork lift driver caught the conveyor belt while he was loading the paper, stopping the process and tearing the belt.

### PRODUCTS

Belzona® 2311 (SR Elastomer)

### SUBSTRATE

Rubber

### APPLICATION METHOD

The application was carried out in accordance with Belzona Know-How system Leaflet SHM-1. Top cover was cut back before repairing with Belzona® 2311 incorporating Belzona® 9341 (Reinforcement Tape).

### BELZONA FACTS


The application was done in 2 hours and the equipment was back in service with minimal delay. To replace or repair the belt conventionally would have involved an emergency call out from specialist contractor who would have had to travel from another city. Costs and time delay were unacceptable.

### PICTURES

1. Conveyor belt damage
2. Preparation and conditioning with Belzona® 2911
3. Belzona® 2311 being applied and incorporating Belzona® 9341 (Reinforcement Tape)
4. Job done



1.



2.



3.



4.

For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

UK • USA • Canada • China  
[www.belzona.com](http://www.belzona.com)

