

BELZONA REPAIR TO LOADER TYRE SIDEWALL

CUSTOMER

Quarry in Croatia

APPLICATION DATE

April, 2013.

APPLICATION SITUATION

The loader works in a remotely located quarry. It is used on two shifts per day. The customer needed quick in-situ repair.

PROBLEM

There was a large crack in a tyre, but it was not leaking and the steel reinforcement was still in good shape. Customer needed to keep the loader in operation.

PRODUCTS

Belzona 2211 (MP Hi-Build Elastomer)

SUBSTRATE

Rubber

APPLICATION METHOD

Application was carried out in accordance with Belzona Know-How System Leaflet SHM-9.

BELZONA FACTS

The two alternatives were either to replace the tyre or to dismantle it and transport it to the nearest workshop. Belzona repair was carried out during the weekend and customer didn't lose any production time. The Belzona repair prevented further deterioration of the tyre and was performing well when expected three months later.

PICTURES

1. Damaged tyre on wheel loader
2. Application in progress
3. Application finished
4. Site revisited after 3 months, the tyre is still in perfect shape



For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

UK • USA • Canada • China
www.belzona.com

