

BELZONA STATIC DISSIPATIVE SOLUTION APPLIED TO SILO

CUSTOMER

Bio-fuel Producer, Mannheim, Germany

APPLICATION DATE

November 2011 - February 2012

APPLICATION SITUATION

Rape seed silo belonging to a bio-fuel producer. This dusty organic material presented a significant static hazard as a result of friction within the silo.

PROBLEM

Some of the internal walls and steel cones needed repairing. In addition, a static dissipative coating was required to protect against static build up within the silo.

PRODUCTS

Belzona 4111 (Magma-Quartz)

Belzona 4351 (Magma CR5)

SUBSTRATE

Concrete and Steel

APPLICATION METHOD

Application was carried out in accordance with Belzona Know-How System Leaflets TCC-3. Damaged concrete was repaired with Belzona 4111. Belzona 4351 was applied to walls and cone taking care to ensure Belzona 4351 was in direct contact with the earthing points provided.

BELZONA FACTS

The Belzona Distributor was able to provide the overall package the client required. This included the appropriate static dissipative coating specification and complete application which involved heating of the silo, scaffolding the project, alongside grit blasting all the surfaces.

PICTURES

1. Earthing points left exposed in restored silo wall
2. Section of silo coated in Belzona 4351
3. Silo cone repaired and left with earthing points
4. Silo cone coated with Belzona 4351



1.



2.



3.



4.

For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>



Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

UK • USA • Canada • Thailand
www.belzona.com

