

BELZONA TECHNOSOL REPAIRS DAMAGED BUND WALL

CUSTOMER

Staffordshire, UK

APPLICATION DATE

August, 2020

APPLICATION SITUATION

Bund wall and fillet area needed repairing after a collision with a forklift truck caused damage to 2 linear metres of wall to floor joints.

PROBLEM

While the visible damage is purely cosmetic, if the tank were to spill, the bund would no longer be able to contain the chemicals and they would pass straight to the drains. This would have resulted in an environmental issue and a fine to the site.

PRODUCTS

Belzona 4141 (Magma Build)

Belzona 4181 (AHR Magma-Quartz)

SUBSTRATE

Concrete/Brick

APPLICATION METHOD

The products were applied in accordance with Belzona System Leaflet TCC-09. The surface was prepared on the external wall of the bund and rebuilt back to its profile using Belzona 4141. After removing approximately 2 linear metres of fillet, Belzona 4181 was used on the internals to restore the damaged concrete..

BELZONA FACTS

Belzona Technosol were chosen for this repair as the customer required a quick and effective solution to ensure the bund was compliant as soon as possible. This was the first repair done for this customer, with positive feedback received after the work was complete.

PICTURES

1. Damage to wall
2. Damage to fillet
3. Completed repair to wall
4. Completed repair to fillet



For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>

ISO 9001:2008
Q 09335
ISO 14001:2004
EMS 509612

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

Copyright © Belzona International Limited 2021


BELZONA
Repair • Protect • Improve