

BELZONA REPAIR TO CORRODED PROPELLER SHAFTS

CUSTOMER

Durban South Africa

APPLICATION DATE

February 2020

APPLICATION SITUATION

Two propeller shafts on heavy utility vessel, 6.5 m long and 100 mm in diameter. Constantly submersed in sea water.

PROBLEM

Two propeller shafts on a port utility vessel were badly corroded from bimetallic corrosion and eroded due to wear from gland packing. If left untreated, significant structural damage would occur and replacement would be imminent. The cost of replacement is prohibitive, as well as down time required.

PRODUCTS

Belzona 1111 (Seper-Metal)

Belzona 1341 (Supermetalglide)

SUBSTRATE

Stainless Steel

APPLICATION METHOD

Application carried out in accordance with Belzona Know-How System Leaflet MPT-01. Once rebuilt and machined to original spec, a two coat system of Belzona 1341 was applied to protect the exposed shaft area from future corrosion.

BELZONA FACTS

The customer wanted an alternative to welding and chroming, and to minimise down time as the vessel was in dry dock. Belzona repair and coating was more cost effective, less time consuming and a better long term solution than welding.

PICTURES

1. Damaged shafts showing corrosion damage
2. Grit blasted and machined shaft
3. Undercut rebuilt with Belzona 1111, ready for final machining
4. Completed shafts, ready for fitment



1.



2.



3.



4.

For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>

ISO 9001:2008
Q 09335
ISO 14001:2004
EMS 509612

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

Copyright © Belzona International Limited 2020


BELZONA
Repair • Protect • Improve