

PUMP CASE EROSION DAMAGE REPAIR IN GRAVEL MINE

CUSTOMER

Hungary, Gravel mine

APPLICATION DATE

2021.02.20

APPLICATION SITUATION

The customer, a gravel mine site operation leader, approached us to find a cost effective repair solution alternative to the case replacement. The answer was a simple yes and the quotation was sent.

PROBLEM

The customers Warman WGR200 suffered from erosion because of the failure of the rubber lining the entrapped solid in the flow found route to the casing surface. The casing material wore until leakage.

PRODUCTS

Belzona 1812 was used to build up the whole material loss and subsequently a coat of Belzona 1321 was applied to smooth out the surface, this combination is the best possible solution to prevent or to slow down this erosion mechanism.

SUBSTRATE

Cast iron (wear resistant)

APPLICATION METHOD

Hand application according to the CEP-06: For repair of holed/cracked casings

BELZONA FACTS

- Huge savings against the case replacement - Quick technical and financially favourable offer - Quick turnaround of the application

PICTURES

1. Defective casing
2. Defective area
3. Defective area after sand blasting
4. Finished application with 1321 top-coat



For more examples of *Belzona Know-How In Action*, please visit <http://khia.belzona.com>

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

Copyright © Belzona International Limited 2021


BELZONA[®]
Repair • Protect • Improve