

BELZONA PROTECTS EVAPORATORS IN DISTILLATION UNIT

ID: 110

Industry: Oil & Gas
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Stainless steel 317L
Products: * Belzona® 1391 ,

Customer Location: National Oil Company
Application Date: May 1996

Problem

Floor plate in No. 4 Distillation unit was showing considerable corrosion and weld repairs, including welding in of new plate sections had already been carried out previously.



Photograph Descriptions

- * General view of the 4 Distiller units. ,
- * Work underway inside the Evaporator. Note low temperature lighting used to minimise air temperature. ,
- * Belzona® 1391 applied to base and 30cms up side of all steelwork in unit. ,

Application Situation

The Evaporator units in SIDEM Distillation unit are constantly immersed up to 30cm (12 ins) at a temperature of 55-60°C. Regular washing is also carried out using 10-15% Sulphamic acid.

Application Method

Application was carried out in accordance with Belzona® Know-How Leaflet TCC-3. Extreme care was taken to ensure all salt contamination was removed and de-humidification equipment installed to prevent moisture contamination during application.

Belzona Facts

Recent inspection has shown Belzona® 1391 in perfect condition and customer can now look forward to many years service from the units without constant shut-downs for weld repairs. The other 5 units will also be coated shortly with Belzona® 1391.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA
Repair • Protect • Improve