BELZONA RECLAIMS AND PROTECTS SULFURIC ACID BUND

ID: 1166

Industry: General Industry Customer Location: Sulfuric Acid Refinery, Wyoming U.S.A.

Application: TCC-Tanks and Chemical Containment Application Date: September 2008

Areas

Substrate: Concrete

Products: <div>Belzona 4111 (Magma Quartz)</div>

<div>Belzona 4131 (Magma Screed)</div><div>Belzona 4311 (Magma CR-1)</div>

Problem

Previous product used gave limited results. Extensive rebuilding of the concrete was needed to allow the containment area to drain to the center sump. This to be followed by an overall protective coating.









Photograph Descriptions

- * Overview of the acid containment area,
- * View of the damaged concrete,
- * View of area rebuilt and resurfaced,
- * Completed job after coating with Belzona 4311,

Application Situation

850 sq.ft. secondary containment area for 98% Sulfuric acid.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet TCC-9 & 15. Concrete was rebuilt to create falls to central sump. All area then protected with Belzona 4311.

Belzona Facts

Replacement of the concrete containment area was not an option due to extensive downtime the company was not willing to allow. Belzona was nominated for its materials performance and prompt service from the technical Consultant. Lab tests showed Belzona

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

BELZONA

4311 OK after 2 weeks in acid whereas earlier used product did not survive 48 hours.	