

GAS LINE REPAIRED WITH BELZONA SUPERWRAP SYSTEM

ID: 1579

Industry: Oil & Gas
Application: VPF-Valves, Pipes and Fittings
Substrate: Carbon Steel
Products: * Belzona® Superwrap ,

Customer Location: Oil Refinery, Argentina
Application Date: March, 2010

Problem

Gas line was suffering from wall thickness loss due to internal corrosion. A thin wall defect of dimensions 2.1x2.4x0.25" was detected on a section of the pipework.



Photograph Descriptions

- * Gas Line exposed ,
- * Surface Preparation by Sponge Jet ,
- * Applying product around the pipework section ,
- * Application completed ,

Application Situation

18" Gas Line transporting natural gas

Application Method

Repair was completed by validated applicators. Three wraps of the composite material were applied onto the damaged area to a maximum thickness of 9.16 mm and an axial extent of 400mm.

Belzona Facts

The asset owner was so pleased with the outcome of the repair that they decided to have two other sections of the same pipeline repaired with the Belzona SuperWrap composite system.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA®
Repair • Protect • Improve