# **BELZONA COMPLETES FULL REFURBISHMENT OF CHIMNEY STACK**


ID: 1910

Industry: Application: Substrate: Products: Buildings & Structures WPA-Wall Problem Areas Concrete

Customer Location: Local council, UK Application Date: July 2008

## Problem

The chimney stack had several areas of spalled concrete due to moisture ingress.



\* Belzona® 4141 (Magma-Build) Belzona® 5151 (Hi-Build Cladding) Belzona® 5811 (Immersion Grade) ,

## **Photograph Descriptions**

\* The chimney stack being scaffolded for access Some of the cracks requiring repair Close view of the chimney after the application General view of the completed application ,

#### **Application Situation**

The 28 metre tall stack in North Wales had undergone various temporary repair works in the past but due to its continued deterioration, a long term solution was required.

#### **Application Method**

Application was carried out in accordance with Belzona Know-How System Leaflets WPA-1 & 4. The areas of damaged concrete were repaired with Belzona<sup>®</sup> 4141 before the chimney stack was fully coated with Belzona<sup>®</sup> 5151.

## **Belzona Facts**

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 FS 695214 ISO 14001:2015 EMS 695213

Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

www.belzona.com



Belzona products used provide the long term repair and protection required. In particular the Belzona® 4141 was ideally suited to repairing the damaged concrete on the certical surfaces whilst Belzona® 5151 provides micro-porous self cleaning weather protection. Finally Belzona® 5811 was used at the top to provide resistance to acidic fumes.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are FS 695214 ISO 14001:2015 EMS 695213

manufactured under an ISO 9000 Registered Quality Management System.

www.belzona.com

