

BELZONA® 1591 FAST TRACK PROTECTION

ID: 20

Industry: Oil & Gas
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Carbon steel
Products: * Belzona® 1591 ,

Customer Location: Oil producer
Application Date: April 1997

Problem

There was insufficient time available to construct vessels with internal metal cladding.



Photograph Descriptions

- * One of the separators mounted in applicators workshop on rotator to make application easier. ,
- * All exposed areas of vessels are coated, including nozzles. ,
- * Completed application. ,

Application Situation

The Oil/Gas Separators (Production and Test) and Flare Knock-Out vessels for installation onboard a Floating Oil Production and Storage vessel (an FPSO) being fast track built for operation in the North Sea.

Application Method

Application was carried out at a Specialist applicators workshop in accordance with Belzona Know-How Leaflet TCC-5. They were then transported for fitting out and installation on the FPSO.

Belzona Facts

This project is to develop a small oil field and so costs and particularly timing were critical. Belzona® 1591 was seen as the only coating available to protect the equipment at the operating temperatures expected (up to 150°C).

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA®
Repair • Protect • Improve