

BELZONA REPAIRS LARGE SOOT BLOWING AIR COMPRESSOR

ID: 231

Industry: Power
Application: GSS-Gaskets, Seals and Shims
Substrate: Cast iron
Products: * Belzona® 1111 (Super Metal) ,
* Belzona® 9411 (Release Agent) ,

Customer Location: Coal fired power plant in Texas, U.S.A.
Application Date: October 1999

Problem

Corrosion in water jacket area had reduced the gasket sealing surface and allowed water into the air stream.



Photograph Descriptions

- * Overall view of soot blowing air compressor ,
- * Mold used to help form overlay for correct fit ,
- * Finished sealing area, lighter color (top) shows Belzona® 1111 (Super Metal), darkest color is existing cast iron ,

Application Situation

Repair to soot blowing air compressor operating at 12,500 cfm.

Application Method

The application was carried out in accordance with Belzona Know-How System Leaflet GSS-7. This method included grit blasting the area to be built up. A mold was used to help form the correct fit and a disc sander was used to achieve the proper finish.

Belzona Facts

Use of Belzona® 1111 (Super Metal) resulted in the equipment being placed back in service at a substantial cost saving as opposed to having the air compressor welded and machined down.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

BELZONA
Repair • Protect • Improve