

PRESS ROLL REPAIR WITH BELZONA

ID: 2557

Industry: Pulp & Paper
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Steel
Products: * Belzona® 1111 (Super Metal) ,
* Belzona® 1341 (Supermetalglide) ,

Customer Location: Pulp and paper mill, Germany
Application Date: July 2008

Problem

Corrosion had led to perforation of side plates.



Photograph Descriptions

- * Corroded side plate ,
- * Grist-blasted side plate ,
- * Application of Belzona® 1111 ,
- * Completed application ,

Application Situation

Size press roll from a paper machine.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet TCC-5. The side plate was first rebuilt using Belzona® 1111. Once hard enough, two coats of Belzona® 1341 were applied to achieve a final coating thickness of 500 µm.

Belzona Facts

The application was completed in just two days. Since 2008, the refurbished roll is still in service and further rollers have been coated, saving the pulp and paper mill the cost and delay of buying new rollers at a price of £3000 each.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

BELZONA
Repair • Protect • Improve