

BELZONA SUCESSFULLY UPGRADES SPIRITS CONTAINMENT AREA

ID: 2975

Industry: General Industry

Customer Location: Distillery, Scotland

Application: TCC-Tanks and Chemical Containment Areas


Application Date: 2011

Substrate: Concrete

Products: * Belzona® 4131 (Magma screed) Belzona® 4141 (Magma Build) Belzona® 5811 (Immersion Grade) ,

Problem

The existing protective system had failed. The chemical containment area could no longer be relied upon to prevent liquid loss into the groundwater/watercourse in the event of a spillage.



Photograph Descriptions

* Containment area prior to Belzona Application Concrete Repairs Application of Belzona® 5811 underway Completed Application ,

Application Situation

Spirit containment area

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet TCC-15. Belzona® 4131 and Belzona® 4141 were used to repair the degraded sections of the walls and to create fillets to all horizontal and vertical corners of the bund. The floor was screeded with Belzona® 4131 at 6mm to provide maximum impact resistance. A two coat system of Belzona® 5811 was then applied to all the internal surfaces of the bund.

Belzona Facts

The Belzona system provides excellent resistance to permeation. The reinforcement of wall and floor joints will ensure long term containment without cracking or breaks in the bund lining.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

Belzona products are

FS 695214

manufactured under an ISO

ISO 14001:2015

9000 Registered Quality

EMS 695213

Management System.

www.belzona.com

