BELZONA KEEPS SAWMILLS RUNNING EFFICIENTLY WITH ITS POSITIVE GRIP SYSTEM

ID: 305

Industry: Pulp & Paper Customer Location: Sawmill in British Columbia, Canada

Application: SHM-Solids Handling Machinery Application Date: 1996 - Present

Substrate: Steel

Products: * Belzona® 1321 (Ceramic S-Metal),

* Belzona® 9211 (Supergrip Aggregate),

Problem

The sawmill planer bridge rolls are usually welded or cross-hatched to effectively grip and transfer the lumber. These rolls wear relatively quickly from abrasion, which reduces the throughput and/or quality of the cut lumber.







Photograph Descriptions

- * Paper bridge rolls worn smooth,
- * Surface preparation,
- * Application of Belzona® 1321 and Belzona® 9211,

Application Situation

First cut bridge planer rolls at a sawmill in British Columbia.

Application Method

The application was carried out in accordance with Belzona Know-How System Leaflet SHM-12.

Belzona Facts

These rolls are typically in service for 3-5 years depending on the particular saw mill activity and type of lumber produced. Initially the aggregate will come off, but after a few minutes of operation, no more material will be removed from the rolls.

ISO 9001:2015

Belzona products are
FS 695214

ISO 14001:2015

Belzona products are
manufactured under an ISO
ISO 14001:2015

9000 Registered Quality
EMS 695213

Management System.

