BELZONA RESTORES THIS FAN PUMP TO LIKE NEW CONDITION

ID: 350

Industry: Pulp & Paper Customer Location: Pulp and paper mill in Georgia, U.S.A.

Application: CEP-Centrifugal Pumps Application Date: February 1986

Substrate: Cast iron

Products: * Belzona ® 1311 (Ceramic R-Metal),

* Belzona ® 1321 (Ceramic S-Metal),

Problem

Extreme graphitization had caused holes between the suction and discharge sides of this fan pump after only four years of operation.







Photograph Descriptions

- * General view of casing showing graphitization and hole between suction and discharge sides,
- * One half of the casing being rebuilt and resurfaced,
- * Impeller in position to reform the case rings ,

Application Situation

35,000 GPM Gould's Primary Fan Pump.

Application Method

The application was carried out in accordance with Belzona Know-How System Leaflets CEP-2, CEP-3 and CEP-5.

Belzona Facts

The complete application from beginning to end took only three days. The pump rehabilitation, including cost of labor, machinery and products was only 15% of the cost of a new casing.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve