# BELZONA® 5851 ON OFFSHORE PIPEWORK

ID: 412

Industry: Oil & Gas Customer Location: Offshore Oil Company

Application: VPF-Valves, Pipes and Fittings Application Date: October 2003

Substrate: Rusting Steel

Products: \* Belzona® 5851 (HA Barrier),

#### Problem

The presence of insulation around the heating medium pipework had let to some corrosion of the pipework over a period of time. During a routine inspection it was decided that applying Belzona® 5851 whilst the pipework remained in service represented the best option to prevent future corrosion.







## **Photograph Descriptions**

- \* Corrosion to heating medium pipework,
- \* Application of first coat of Belzona® 5851,
- \* Completed application,

## **Application Situation**

Corrosion Under Insulation (CUI) on heating medium pipework.

### **Application Method**

The pipework was wet-blasted, allowed to dry and any residual aggregate brushed off. Some flash rusting was evident, and considered acceptable prior to application of two 250 micron coats of Belzona® 5851.

#### **Belzona Facts**

Belzona® 5851 was successfully used and allowed the customer to deal with an important maintenance issue without the need to remove equipment from service or wait for a future shutdown. The use of wet blasting in this instance allowed for rapid removal of the corrosion deposits, as well as ensuring that no non-visible surface contaminants, such as chlorides from the marine environment, were present.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015
Belzona products are
FS 695214
manufactured under an ISO
ISO 14001:2015
9000 Registered Quality
EMS 695213
Management System.

BELZONA®
Repair • Protect • Improve