### **'ISOLATION' PROBLEMS SOLVED WITH BELZONA**

ID: 454

Industry: Oil & Gas Customer Location: Engineering Consultants - UK Oil & Gas

Industry

Application: VPF-Valves, Pipes and Fittings Application Date: March 2002

Substrate: Steel and stainless steel.

Products: \* Belzona® 1391 (Ceramic HT Metal),

\* Belzona® 1591 (Ceramic XHT Metal),

#### **Problem**

Installation of a titanium cooler offshore, into a steel pipework system, increased the possibility of galvanic corrosion between the two dissimilar metals. The traditional approach involves the installation of rubber lined isolation spools adjacent to the cooler. However, in this instance the elevated operating temperature increased the likelihood that the rubber would disbond, a commonly found problem, so an alternative was sought.







## **Photograph Descriptions**

- \* Pipespool grit blasted and ready for coating,
- \* Following coating and removal of the former ready for dressing,
- \* Post pressure test awaiting despatch to customer,

### **Application Situation**

Isolation spools for titanium cooler

# **Application Method**

Belzona® 1391 and Belzona® 1591 were applied to the internal surface of each of the spools in accordance with Belzona Know-How System Leaflet VPF-2. To eliminate the possibility of defects, which would allow very rapid corrosion, the coating materials were applied as two coat systems. Immediately following application of the second coat, the flange faces were reformed according to Belzona Know-How System Leaflet VPF-13.

### **Belzona Facts**

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

hs later revealed t			

EMS 695213

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality Management System.



www.belzona.com