

BELZONA® PROTECTS A MASSIVE THICKENER AT A STEEL MILL

ID: 4671

Industry: Customer Location: Steel Mill, USA

TCC-Tanks and Chemical Containment Application: Application Date: 2008

Areas

Substrate: Carbon steel

Products: * Belzona® 1111 (Super Metal),

* Belzona® 5891 (HT Immersion Grade),


Problem

Thickener suffering from a severe corrosion









Photograph Descriptions

- * The walls of the thickener suffering from corrosion ,
- * Application of Belzona 5891 by spray ,
- * Belzona coating damaged caused by welding work done to the outside of the thickener. The damage was faired with Belzona 1111 and overcoated with Belzona 5891 .
- * The walls of the thickener after 1-year inspection,

Application Situation

Thickener at a steel mill

Application Method

Application was carried out in accordance with a modified version of Belzona Know-How System Leaflet TCC-3. Belzona® 5891 was applied using airless spray equipment.

Belzona Facts

The thickener has been in service for 5 years since the repair with Belzona was done. Both 1-year and 5-year inspections found the equipment in a good condition.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are FS 695214 manufactured under an ISO ISO 14001:2015 9000 Registered Quality EMS 695213 Management System.

www.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

BELZONA