

# BELZONA RESTORES BED ON A PRESS BRAKE

ID: 4693

Industry: Steel & Metal Processing

Customer Location: Component Manufacturer,  
Worcestershire, UK

Application: GSS-Gaskets, Seals and Shims

Application Date: August 2013

Substrate: Steel

Products: \* Belzona® 1121 (Super XL Metal) ,

## Problem

The locating bed on the press had worn over time due to sliding different shaping tools into place. This was leading to the shaping tools sitting at an angle and producing inaccurate results.



## Photograph Descriptions

- \* Damaged area after surface preparation ,
- \* Area to be rebuilt ,
- \* Forming plates being held into place ,
- \* Completed application ,

## Application Situation

LVD Pressbrake used to bend sheet metal

## Application Method

Application was carried out in accordance with Belzona System Leaflet GSS-8. Forming boards were made and coated with Belzona 9411 (Release Agent). They were then held in place along the length of the press. Belzona 1121 was injected to the require depth. Once cured the formers were removed revealing the new surface.

## Belzona Facts

The customer estimated to remove, send off site, rebuild then machine back, and refit would have cost anywhere between £15 - £20,000. The Press would also have been out of service for a couple of weeks giving further downtime costs. The repair was carried out in one day and the press was only out of service for two days.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

Belzona products are

FS 695214

manufactured under an ISO

ISO 14001:2015

9000 Registered Quality

EMS 695213

Management System.

[www.belzona.com](http://www.belzona.com)



---

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015  
FS 695214  
ISO 14001:2015  
EMS 695213

Belzona products are  
manufactured under an ISO  
9000 Registered Quality  
Management System.

[www.belzona.com](http://www.belzona.com)

