INTERNAL COATING FOR CENTRIFUGAL PUMP

ID: 4922

Industry:Water / WastewaterApplication:CEP-Centrifugal PumpsSubstrate:SteelProducts:* Belzona 1321 (Ceramic S-Metal) ,
* Belzona 9111 (Cleaner Degreaser) ,

Customer Location: *Niagara, Ontario, Canada* Application Date: *September 2013*

Problem

A customer wanted to protect and expand the life of a new pump due to installed at the plant to replace the existing pump which was suffering from corrosion/erosion due to sewage waste.



Photograph Descriptions

- * Centrifugal Pump Prior to Application ,
- * Preparation Complete ,
- * Application ,
- * Completed Application ,

Application Situation

Centrifugal pump is used to transport fluids in the waste water treatment plant

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet CEP-3. The surface was prepared by grit blasting the entire surface to be coated, brushing away any loose contamination and washing the surface with Belzona 9111. Belzona 1321 was applied directly on to the prepared surface with a stiff bristle brush in accordance with the Belzona Instructions For Use.

Belzona Facts

Belzona 1321 will protect from abrasion and erosion - corrosion. This also has outstanding chemical resistance with high compressive strength and does not corrode. Belzona 1321 is designed to operate under continuous immersion at temperatures up to 140°F (60°C)

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 FS 695214 ISO 14001:2015 EMS 695213 Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

www.belzona.com



For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

EMS 695213

ISO 9001:2015Belzona products areFS 695214manufactured under an ISOISO 14001:20159000 Registered QualityFX 695212Manufactured control Management System.

BELZÓNA Repair • Protect • Improve

www.belzona.com