## BELZONA PROTECTS MAIN ON A MIXING TRUCK AGAINST ABRASION

ID: 5316

Industry: General Industry

Application: SHM-Solids Handling Machinery

Substrate: Steel

Products: \* Belzona 1812 (Ceramic Carbide FP),

Problem

Impact and abrasion caused by flowing concrete.







Customer Location: Richmond Hill, ON, Canada

Application Date: November 2011



# **Photograph Descriptions**

- \* Concrete mixing truck,
- \* Main prior to application,
- \* Preparation in process,
- \* Completed application ,

### **Application Situation**

A main that pours concrete from a truck.

### **Application Method**

The application was carried out in accordance with Belzona Know-How System Leaflet SHM-13 for lining chutes and hoppers. The area was prepared using a hand grinder to create a cross hatch profile pattern. Belzona 1812 was applied directly onto the prepared surface with a plastic applicator in accordance with Belzona Instructions For Use.

#### **Belzona Facts**

Belzona 1812 is a two-component repair and protective coatings for the protection of surfaces subject to abrasive attack. This can be applied without the need of special tools. This paste grade material will bond to a wide range of substrates, providing a seamless abrasion resistant lining.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®

www.helzona.com