Belzona Rebuilds Kiln Support Roller Shaft

ID: 544

Industry: General Industry Customer Location: Chemical manufacturer (Chromium)

Application: MPT-Mechanical Power Transmission Application Date: April 2005

Substrate: Steel

Products: * Belzona® 1131 (Bearing Metal),

Problem

In service the shaft had become worn in the area where the lip seal ran. This allowed oil to leak past the seal resulting in the need for regular oil level checking and refilling as well as a serious slip hazard in the surrounding area.









Photograph Descriptions

- * Worn area of shaft,
- * View of surface preparation ,
- * Completed repair,
- * Close up of Belzona® 1131 repair,

Application Situation

Worn seal area on kiln support roller shaft.

Application Method

The application was carried out in accordance with a modified version of Belzona Know-How System Leaflet MPT-2. The repair was carried out in position. Only the top cradle was removed so application was carried out in two parts. After rebuilding top half, kiln was rotated 180° to allow lower half to be rebuilt.

Belzona Facts

The traditional repair would involve replacing the roller with a spare held on-site then refurbishing the removed roller via welding/metal spraying before machining. This incurs serious costs. Shaft is reported to be oil free after five months and therefore considered a success by the client.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.



www.belzona.com