

BELZONA REPAIRS FLOOR CRACKS CAUSED BY A ZAMBONI


ID: 5837

Industry: Buildings & Structures
Application: FPA-Floor Problem Areas
Substrate: Concrete
Products: * Belzona 4131 (Magma-Screed) ,
* Belzona 4911 (Magma TX Conditioner) ,

Customer Location: Kitchener, ON, Canada
Application Date: August 2013

Problem

Cracks and pitting caused by studded tyres of a Zamboni.



Photograph Descriptions

- * Prior to application ,
- * Surface preparation in progress ,
- * Application in progress ,
- * Completed application ,

Application Situation

Floor leading to rink access used by a Zamboni.

Application Method

The application was carried out in accordance with Belzona Know-How System Leaflet FPA-1 for rebuilding worn and damaged floor surfaces. The surface was prepared by removing all loose concrete and a high pressure washer was used to remove any contamination. After preparation of the surface, Belzona 4911 was applied to achieve maximum adhesion. Then, Belzona 4131 was applied using a trowel in accordance with the Belzona Instructions For Use.

Belzona Facts

Belzona 4131 is a high performance non-porous resurfacing material that provides excellent protection against the effects of abrasion, impact, vibration and chemical attack. This system is easy to use as no specialist tools are required. The customer was very satisfied with the application.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com



For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

