BELZONA STATIC DISSIPATIVE SOLUTION APPLIED TO SILO

ID: 6017

Industry:	Food & Drink
Application:	TCC-Tanks and Chemical Containment
	Areas
Substrate:	Concrete and Steel
Products:	* Belzona 4111 (Magma-Quartz) ,
	* Belzona 4351 (Magma CR5) ,

Customer Location: Bio-fuel Producer, Mannheim, Germany Application Date: November 2011 - February 2012

Problem

Some of the internal walls and steel cones needed repairing. In addition, a static dissipative coating was required to protect against static build up within the silo.



Photograph Descriptions

- * Earthing points left exposed in restored silo wall ,
- * Section of silo coated in Belzona 4351,
- * Silo cone repaired and left with earthing points,
- * Silo cone coated with Belzona 4351,

Application Situation

Rape seed silo belonging to a bio-fuel producer. This dusty organic material presented a significant static hazard as a result of friction within the silo.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflets TCC-3. Damaged concrete was repaired with Belzona 4111. Belzona 4351 was applied to walls and cone taking care to ensure Belzona 4351 was in direct contact with the earthing points provided.

Belzona Facts

The Belzona Distributor was able to provide the overall package the client required. This included the appropriate static dissipative

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are FS 695214 ISO 14001:2015 9000 Registered Quality EMS 695213 Management System.

manufactured under an ISO

www.belzona.com



coating specification and complete application which involved heating of the silo, scaffolding the project, alongside grit blasting all the surfaces.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

FS דיזכפט ISO 14001:2015 EMS 695213

ISO 9001:2015 Belzona products are FS 695214 manufactured under an ISO 9000 Registered Quality Management System.

www.belzona.com

