

BELZONA UPGRADES ACID BUND

ID: 6183

Industry: Power
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Concrete
Products: * Belzona 4111 (Magma Quartz) ,
* Belzona 4311 (Magma CR1) ,

Customer Location: Power Station, Queensland, Australia
Application Date: June 2008

Problem

Spills of sulphuric acid over many years had significantly damaged the containment capabilities of the bund leaving it questionable about whether it could contain a major spill.



Photograph Descriptions

* 1. The badly damaged bund area 2. The bund re-profiled using Belzona 4111 3. The first coat of Belzona 4311 applied 4. The completed application ,

Application Situation

Damaged Sulphuric acid bund at power station

Application Method

Application was carried out in accordance with Belzona System Leaflets TCC-9 and TCC-15. After removing damaged sections of old coating, the underlying concrete was neutralised using HP water and bicarbonate of soda. After drying damaged areas of concrete were rebuilt with belzona 4111 before coating overall with Belzona 4311 system.

Belzona Facts

Being a Power Station that operates 24/7, there is limited time to carry out any significant repairs. The Belzona materials were

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA
Repair • Protect • Improve

chosen for their high performance and fast curing properties that kept downtime to a minimum whilst ensuring that the bund would remain effective for many years to come.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015	Belzona products are
FS 695214	manufactured under an ISO
ISO 14001:2015	9000 Registered Quality
EMS 695213	Management System.

www.belzona.com

