# Reseating Pin Bush with Belzona on Caterpillar 980 loader

ID: 6432

Industry: Mining & Quarrying Customer Location: Mine, Skopje, Macedonia

Application: MPT-Mechanical Power Transmission Application Date: February 2017

Substrate: Steel

Products: \* Belzona 1111 (Super Metal),

#### Problem

Lack of lubrication had caused abrasion in the bush housing, which led to a diameter increase of 30 mm from the original dimension. This meant a loose fitting bucket pin and unstable use of the equipment.









# **Photograph Descriptions**

\* 1. Damaged pin bush housing 2. New bushing installed with Belzona 1111 3. A dummy shaft was used to locate the bushing 4. View of Caterpillar 980 machine ,

# **Application Situation**

At a separation mine, one of the large Caterpillar 980 Wheel Loaders was suffering pin housing damage due to lack of lubrication.

## **Application Method**

Application was carried out in accordance with Belzona Know-How System leaflet MPT-8. The surface was prepared by grinding and a new bush was bonded into place using Belzona 1111. Other bushing was in a good condition. In order to ensure the bushes were in correct alignment a dummy shaft was used to locate the bushing.

### **Belzona Facts**

The application was completed in four hours and through the use of cold-curing materials, involved no heat. This method shortened the downtime of the machine and the repair was performed in situ without dismantling or machining of the frame.