

Belzona Coating For Internal Of Closed Drain Drum



ID: 7521

Industry: Chemical & Petrochemical
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Grit Blasted Carbon Steel SA516-70
Products: * Belzona 1391T ,

Customer Location: Refinery, Indonesia
Application Date: July 2017

Problem

The vessel required protection from the corrosive operating conditions. Belzona 1391T was specified for the work. The installation of Belzona nozzle inserts into small bore nozzles was included.



Photograph Descriptions

* 1. General view of the vessel during grit blasting 2. 1st coat of Belzona 1391T almost completed 3. high voltage pinhole detection under-way 4. Completed application of Belzona 1391T 2 coat system ,

Application Situation

Newly Fabricated vessel to be part of the Cilacap Blue Sky project. The vessel weighs 10.4 ton with a total internal area of approx 70 m². Designed with an operating temperature of 70°C, and an operating pressure up to 0.2 kPa g.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet TCC-5 and TCC-16. Nozzle inserts were manufactured and bonded into small diameter nozzles to ensure continuity of protection. The coating process was carried out with the vessel on rollers which avoided all overhead application work, and reduced application time considerably.

Belzona Facts

Instead of using upgraded metallurgy or increased wall thickness, the asset owner chose to use a Carbon Steel vessel coated with Belzona 1391T.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA[®]
Repair • Protect • Improve