

BELZONA 1812 EXTENDS LIFE OF SCREW CONVEYOR

ID: 7541

Industry: Power

Application: SHM-Solids Handling Machinery

Customer Location: Biomass plant, Scotland


Application Date: November 2012

Substrate: Stainless steel

Products: * Belzona 1812 (Ceramic Carbide FP) ,

Problem

The constant abrasion from wood chippings over the screw surface was found to damage the screw heavily. The shaft and flights would wear out within a few months of operation, and the entire unit would need replacement after just over 1 year.



Photograph Descriptions

- * 1. Delivery of the screw ,
- * 2. Belzona 1812 applied to the shaft & the 'driving' face of the flights ,
- * 3. Close up of Belzona 1812 finish ,
- * 4. Completed application. ,

Application Situation

A large screw conveyor transporting wood chippings to the top of a CHP furnace. The constant feed of chippings is critical to the plant's operation.

Application Method

Application was carried out in accordance with Belzona system leaflet SHM-14. Grit blasting was used to prepare the surface, followed by a lining of Belzona 1812.

Belzona Facts

Hard facing was considered but found to be too time consuming and expensive. The Belzona solution was provided for a fraction of the cost and in a fraction of the time of the alternative solutions. In 2018, the client reported that not only is the screw conveyor still performing but it has been working twice as hard over the 3 years in service, with no loss of performance.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

FS 695214

ISO 14001:2015

EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

BELZONA
Repair • Protect • Improve