

Belzona protects the inside of hot liquor tanks in a brewery


ID: 7771

Industry: Food & Drink
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Mild steel
Products: * Belzona 5892 ,

Customer Location: Tadcaster, UK
Application Date: 2018

Problem

This brewery has 6 liquor tanks which operate at 85°C, they were all coated with an unknown liner which was failing. The location of the tanks meant that the client could not replace them and a high performance coating was required. The protective coating also had to have a potable water approval.



Photograph Descriptions

* 1- Blasted tank before application 2- Pit holes on the inside of the tank 3- Conditions inside the tank 4- Final application ,

Application Situation

Hot liquor tanks of a brewery, hot liquor is the hot water used to mash the ingredients to make beer.

Application Method

The previous liner was removed by grit blasting, this step took 3 days. Once the pit holes under the liner had been repaired, two coats of Belzona 5892 were applied to the first two hot liquor tanks using Belzona Know How System Leaflet TCC-5. Belzona 5892 was cured with hot water and washed down twice.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

**BELZONA**
Repair • Protect • Improve

Belzona Facts

Five months after the application, engineers from the brewery inspected the tank and were so impressed they have commissioned the coating of the other four tanks.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

