Belzona Protects 6 Pump Impellers Against Cavitation Damage

ID: 7878

Industry: Oil & Gas

Application: CEP-Centrifugal Pumps

Substrate: Steel

Products: * Belzona 1311 (Ceramic R-Metal),

* Belzona 1341 (Supermetalglide),

* Belzona 2141 (ACR-Fluid Elastomer),

Problem

Impeller veins were experiencing cavitation which was reducing wall thickness and leading to through-wall defects.







Customer Location: Saudi Arabia

Application Date: 2018

Photograph Descriptions

- * 1. Damage beforehand,
- * 2. Application in progress,
- * 3. Completed pump,

Application Situation

6 Centrifugal Pump Impellers at an O&M company.

Application Method

The application was carried out in accordance with a modified version of Belzona Know-How System Leaflet CEP-1, after thorough surface preparation and cleaning, the damaged parts of the impeller were rebuilt with Belzona 1311. Then Belzona 1341 was used to provide protection before Belzona 2141 was applied to protect from cavitation.

Belzona Facts

This customer had previously been replacing the damaged impellers every 6 to 8 months. Upon hearing about the Belzona solutions

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve

and seeing examples of it in action, they agreed to try this application instead of replacing the impelier every time.	
For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com	