Hydroelectric Generating Station Scroll Tunnel

ID: 8056

Industry: Power Customer Location: Hydroelectric power station, Alabama,

USA

Application: WPA-Wall Problem Areas Application Date: December 2017

Substrate: Concrete

Products: * Belzona 4141 (Magma-Build)
 '>Belzona 4131 (Magma-Screed)
 '>Belzona 5811 (Immersion Grade) ,

Problem

The concrete scroll tunnel walls, floor, and ceiling were deteriorating due to many years of operation. Total area to be treated was 9000 sq. ft. Belzona 4141 lightweight Magma Build was used to restore the ceilings up to 2" thick in areas. The walls and floor were repaired with Belzona 4131 Magma Screed. After restoring the concrete, Belzona 5811 immersion grade barrier coating the was used protect the entire area.







Photograph Descriptions

- * Concrete deterioration,
- * Rebuilding concrete with 4131,
- * Tunnel coated with 5811,
- * Finished results ,

Application Situation

Refurbishment of a Hydro electric Generating Station to allow the facility to be brought back online.

Application Method

The ceilings were rebuilt with Belzona 4141 following system leaflet WPA-04 and the walls and floor were repaired using Belzona 4131 following system leaflet WPA-04 and FPA-01.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

Belzona Facts

The client analysed and tested several materials. The physical and mechanical properties including adhesion testing of the Belzona provided the reassurance the client needed to select Belzona for the repairs and to ensure that they would have the required longevity.

www.belzona.com