# **Belzona Provides Bonding Solution for Tank Stairs**

ID: 8100

Industry: Oil & Gas Customer Location: Italy
Application: VPF-Valves, Pipes and Fittings Application Date: 2018

Substrate: Steel

Products: \* Belzona 1161 (Super UW-Metal),

\* Belzona 5811 (Immersion Grade),

#### Problem

Stairs on the side of the tank suffering from severe galvanic corrosion, deeming the stairs unsafe to use.









### **Photograph Descriptions**

- \* 1. Overview of tank stairs ,
- \* 2. Severe galvanic corrosion,
- \* 3. Belzona 1161 bonding the stairs to the tank,
- \* 4. Finished application with a coating of Belzona 5811,

# **Application Situation**

Bonding stairs to the side of a tank as an alternative to welding.

### **Application Method**

This application was carried out using a modified version of system leaflet VPF-15. The stairs were power washed and chiseled down to get rid of any loose contaminants. Once the stairs were cleaned the side of the tank and the bonding side of the stairs were grit blasted to Sa 2.5 before Belzona 1161 was used to bond the two surfaces together. Belzona 9341 was also incorporated into the

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com



paste grade for added support. Once the Belzona 1161 had cured a final coat of Belzona 5811 was applied for added corrosion resistance.

# **Belzona Facts**

Welding wasn't an option in this circumstance as the tank would have had to be drained resulting in a loss of resources and also significant downtime. The Belzona solution was cold applied and therefore the tank didn't need draining.