BELZONA MAINTAINS FRANCIS TURBINE

ID: 928

Industry: Power Customer Location: Power Plant, Honduras, Central America

Application: CEP-Centrifugal Pumps Application Date: November 2006

Substrate: Steel

Products: * Belzona® 1111 (Super Metal),

* Belzona® 1321 (Ceramic S Metal),

Problem

The water had produced an erosion/corrosion effect in several sections of four different parts of the Turbine. The biggest damage was located in the seal perimeter of the facing plate.









Photograph Descriptions

- * View of diffusers,
- * Damage in seal perimeter ,
- * Machined area prior application of Belzona® 1111 ,
- * Final application of Belzona® 1111 and Belzona® 1321,

Application Situation

Complete Overhaul of all the parts and sections of a Francis Turbine. The turbine needed maintenance after 15 years of operation.

Application Method

Repairs were carried out utilizing Belzona Know-How System Leaflets CEP-4, CEP-5 and ENC-5.

Belzona Facts

The customer decided to make a complete maintenance using Belzona's products after we had repaired the shaft in 2004 with excellent results. The actual damaged part had a diameter of 3.8 m which was rebuilt, machined and rectified to precise measurements fot its assembly.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve