

Silo cone gap sealing

ID: 9424

Industry:	Mining & Quarrying	Customer Location: Ontario, Canada
Application:	RPA-Roof Problem Areas	Application Date: May 2024
Substrate:	Other	
Products:	Belzona 1121 (Super XL-Metal), Belzona 9111 (Cleaner Degreaser), Injection Pistol	

Problem

White cement was falling off from a gap between the silo cone and the concrete wall which poses safety concerns for the employees.





Gap between Silo cone before cleaning

Gap before surface preparation.



Gap after sealing with Belzona 1111.



Final sealing with Belzona 1111.

Application Situation

Customer needed a material that would bond to both steel and cement to seal the gap between the silo cone.

Application Method

A blower was used to used remove cement from the surface and surroundings. Belzona 91111 was used to clean the surface. Belzona 1121 was then injected using Belzona pneumatic pistol into the gap to seal off the falling materials. Additional material was applied using Belzona applicator to make sure the area is well sealed.

Belzona Facts

Product cured on multiple substrate and the gap was sealed. After 24 hours, an inspection by the production team confirmed that materials were no longer falling from the gap hereby confirming a perfect seal. Customer is looking at sealing up such gaps with Belzona in the nearest future.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 FS 695214 ISO 14001:2015 EMS 695213

Belzona products are manufactured under an ISO 9000 Registered Quality Management System.



