

# BELZONA ELASTOMERS SEAL SF6 GAS LEAKS AT HYDROELECTRIC FACILITY

ID: 1078

Industry: Power Customer Location: Hydroelectric Facility, BC

Application: GSS-Gaskets, Seals and Shims

Substrate: Various metal substrates

Products: \* Belzona® 2211 (MP Hi-Build Elastomer),

\* Belzona® 2221 (MP Fluid Elastomer), \* Belzona® 1321 (Ceramic S Metal),

#### **Problem**

The constant leakage of Sulphur Hexafluride gas (SF6) was considered to be a major environmental problem being 25,000 times as effective a "greenhouse gas" as CO2. System is pressurized to 45 psi.







Application Date: 1993

## **Photograph Descriptions**

- \* Belzona® 2211 MP Hi-Build in the process of being injected into the gap between the two flanges,
- \* Another variation of a similar application,
- \* Another flange sealed,

### **Application Situation**

Leaking joints Gas Insulated Switchgear (GIS)

### **Application Method**

Application was carried out in accordance with Belzona Know-How System Leaflet GSS-4. Pinholes in welds were coated with

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve

Belzona® 1321. Flanged joints were sealed with Elastomer using a combination of brush application and injection.

### **Belzona Facts**

The Belzona materials applied in 1993 have proven completely effective with joints and welds sealed with Belzona materials remaining sealed for well over a decade now. SF6 consumption has dropped from over 50 bottles per year, to a mere two or three bottles—a saving in excess of \$1 million over the decade. Most importantly losses of SF6 into the atmosphere have been minimized, drastically reducing the environmental impact.