BELZONA PROTECTS WASTE WATER TANK

ID: 1098

Industry: Pulp & Paper Customer Location: Pulp Factory, Southern Germany

Application: TCC-Tanks and Chemical Containment Application Date: June to December 2007

Areas

Substrate: Carbon Steel

Products: * Belzona® 1121 (Super XL-Metal),

* Belzona® 5811 (Immersion Grade),


Problem

Tar epoxy coating had failed especially in vapour phase due to limited chemical resistance against Sulfite solutions. Corrosion had led to more than 1000 holes in roof and leaks in side walls.









Photograph Descriptions

- * 10600cbm tank ,
- * Welded steel plates during crack testing,
- * Rebuilding of pitted surface with Belzona® 1121,
- * Hot sprayed surfaces with Belzona® 5811 before scaffold was taken out ,

Application Situation

10,600 cubic metre waste water tank with inner surface of 3000m² containing waste water from pulp production.

Application Method

Failed coating was removed by ultra-high pressure water jetting and grit blasting. Steel plates were welded in tank to guarantee mechanical integrity. Rebuilding of pitted steelwork carried out in accordance with Belzona Know-How System Leaflet TCC-5. Coating by heated airless spray in 2 layers.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

BELZONA®

BRODIN A Protect. Improve

Belzona Facts Resistance of Belzona products had been proven over three years, through leak repairs carried out to keep tank in production. Cost aving as compared to new tank: app. 4.5 million EUR.