

BELZONA SEALS XYLENE CONTAINMENT AREA

ID: 1191

Industry: Chemical & Petrochemical

Customer Location: Chemical Plant, North Alabama USA

Application: TCC-Tanks and Chemical Containment Areas

Application Date: 2001

Substrate: Concrete

Products: <div>Belzona® 4111 (Magma Quartz)</div><div>Belzona® 5811 (Immersion Grade)</div>

Problem

EPA suggested the client seal the containment area to prevent leaks of Xylene penetrating into the surrounding ground.



Photograph Descriptions

* Overall view of the containment area , * First coat of Belzona® 5811 applied , * Completed application ,

Application Situation

Xylene was leaking from containment area after spills

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet TCC-15. Area abrasive blasted, damaged concrete repaired with Belzona® 4111 and Belzona® 5811 applied by spray.

Belzona Facts

Other coatings had failed. Belzona was used and is still perfect after 7 years.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA[®]
Repair • Protect • Improve