# **EVAPORATOR BARREL PROTECTION WITH BELZONA**

ID: 1264

Industry: Food & Drink Customer Location: Virginia, USA
Application: SHM-Solids Handling Machinery Application Date: March 2009

Substrate: Mild Steel

Products: \* Belzona 2911 (Elastomer QD Conditioner),

\* Belzona 2121 (D & A Hi-Coat Elastomer),

\* Belzona 9331 (Reinforcing Sheet),

#### **Problem**

The evaporator barrel is corroding from the inside out and springing leaks, which causes a temporary shutdown to repair the leak. The customer wanted a solution that would allow them to keep operating should a leak occur until they could plan a shutdown for a more permanent repair or replacement.









## **Photograph Descriptions**

- \* Preparation of the barrel,
- \* Application of the first coat and reinforcing sheet,
- \* Completed application of second coat,
- \* Completed application,

### **Application Situation**

Creating a secondary containment barrier around an evaporator in need of replacement. Tobacco processing company.

# **Application Method**

The application was crried out eih a modified version of Belzona Know-How System Leaflet. An orbital sander with a scotch brite pad was used to lightly abrade the surface, which was too thin to achieve an ideal preparation. The surface was cleaned with MEK. A heavy coat of Belzona 2121 was applied, the barrel was wrapped with Belzona 9331 and a second heavy coat of Belzona 2121 was applied.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve

## **Belzona Facts**

Providing a secondary containment barrier for the evaporator allows the customer to keep operating should an untimely leak in the barrel occur, as well as plan for a permanent repair to the barrel or replace the evaporator. This saved them time and money from possible shutdowns.

www.belzona.com