

BELZONA FLOOR UPGRADE PROVIDES ENVIRONMENTAL PROTECTION

ID: 1340

Industry: General Industry
Application: FPA-Floor Problem Areas
Substrate: Concrete and aluminium angles
Products: * Belzona® 5811 (Immersion Grade) ,
* Belzona® 1121 (Super XL Metal) ,

Customer Location: Telecom company, Montreal, Canada
Application Date: February 2009

Problem

Original coating worn, not bonded in many areas and did not meet environmental requirements. System needs to contain potential spills or leaks.



Photograph Descriptions

- * Floor being abraded ,
- * Aluminium angles sealed with Belzona® 1121 ,
- * Belzona® 5811 being applied ,
- * Completed application ,

Application Situation

Floor area where hazardous materials are stored.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet FPA-3. Aluminum angles were bonded to wall/floor junction to create sealed coving prior to coating entire area with Belzona 5811

Belzona Facts

Many other solutions were considered but Belzona® procedure chosen as it provided best protection and containment of spills and leaks. Belzona® 5811 is now an approved product for our customer. They call on Belzona for all floor coatings that need water or chemical containment.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

