

BELZONA QUICKLY RESTORES & UPGRADES TURBINE PROTECTION


ID: 1896

Industry: Power
Application: CEP-Centrifugal Pumps
Substrate: Steel
Products: * Belzona® 1341 (Supermetalgilde) ,
* Belzona® 2141 (ACR-Fluid Elastomer) ,
* Belzona® 5811 (Immersion Grade) ,

Customer Location: Hydropower plant, France
Application Date: 2011

Problem

The client wished to renew the coating so as to maintain erosion corrosion protection



Photograph Descriptions

- * Blasted runner prior to the application ,
- * Mixing of Belzona® 2141 ,
- * Application of Belzona® 2141 ,
- * Completed equipment ,

Application Situation

A Francis turbine runner which had been previously coated 15 years ago.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet CEP-3. The bottom and top parts only needed a protection against corrosion and not erosion: Belzona® 5811 was used. The middle part had a serious problem of cavitation: Belzona® 1341 and Belzona® 2141 were used.

Belzona Facts

The equipment was coated on time and put back into service with minimal delay. Use of Belzona® 2141 System will provide improved resistance to cavitation over previously used coating.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA®
Repair • Protect • Improve