

# BELZONA PROTECTION OF RISER BEND

ID: 2258

Industry: Oil & Gas  
Application: VPF-Valves, Pipes and Fittings  
Substrate: Aluminium Bronze  
Products: \* Belzona 1311 (Ceramic R-Metal) ,  
\* Belzona 1321 (Ceramic S-Metal) ,

Customer Location: North Sea, Norway  
Application Date: January 2011

## Problem

*The riser bend was suffering from internal erosion corrosion.*



## Photograph Descriptions

- \* Riser bend overview ,
- \* Internal Erosion Corrosion ,
- \* Corroded areas rebuilt with Belzona® 1311 ,
- \* Application completed with Belzona® 1321 applied ,

## Application Situation

Riser bend on offshore platform.

## Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet VPF-1 & VPF-2. Following gritblasting all corroded areas were rebuilt using Belzona® 1311. Two coats of Belzona® 1321 were then applied to complete the application.

## Belzona Facts

Replacement of the equipment is very costly. The riser bend was reinstalled offshore after only 2 days, saving time for the customer.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015  
FS 695214  
ISO 14001:2015  
EMS 695213

Belzona products are  
manufactured under an ISO  
9000 Registered Quality  
Management System.

[www.belzona.com](http://www.belzona.com)

  
**BELZONA®**  
Repair • Protect • Improve